External and Internal Contraceptives

**Barrier Methods** 

## Effectiveness of Condoms

• Condoms are highly effective in providing protection and prevention against sexually transmitted infections and HIV, when used consistently and correctly. Using condoms may also reduce the risk for genital human papillomavirus (HPV) and other HPV-associated diseases.

#### Ways of Transmission

• STIs including gonorrhea, trichomoniasis, as well as HIV are transmitted when urethral or vaginal secretions, come into contact with their partner's mucosal surfaces including the male urethra, the vagina, or the cervix.

#### Ways of Transmission Cont..

• STIs, involving genital ulcers or other sores/warts such as genital herpes, syphilis, and HPV, infections are primarily transmitted through the contact with infected skin or mucosal surfaces.

#### Barrier method and Condom usage

• According to the Centers for Disease control and Prevention (CDC), laboratory studies have demonstrated that latex condoms provide an essentially impermeable barrier to particles the size if STIs and HIV.

## Internal Condoms

Female condoms, also referred to as condoms for individuals with a vagina (Internal condoms)

The right way to use an internal condom

Internal condom Dos and Don'ts

Use	Read	Make	Use	Store
Use a condom from start to finish, every time you have vaginal sex	Read the condom package insert and check the expiration date.	Make sure there are no tears or defects.	Use lubricant to help prevent the condom from slipping and tearing.	Store condoms in a cool, dry place.

## Do's

## Don'ts




## How to use Internal Condoms

<u>https://www.youtube.com/watch?</u>
<u>v=pbPVkTpQnUo</u>

## External Condoms

- Male condoms (External condoms), also referred to condoms for individuals with a penis.
- External Condom Dos and Don'ts


Do's



# Don'ts

Store	Store condoms in your wallet as heat and friction can damage them.
Use	Use nonoxynol-9 (spermicide), as it can cause irritation.
Use	Use oil-based lubricants like baby oil, lotion, petroleum jelly, or cooking oil because they will cause the condom to break.
Use	Use more than one condom at a time.
Reuse	Reuse a condom

How to properly use an external condom



# Dental Dams

Dental dams are latex or polyurethane sheets and are used between the mouth and the vagina or the anus during oral sex.

Do's and Don'ts

Do's

Use	Use a new latex or polyurethane dental dam every time you have oral sex.
+	
Read	Read the package and check the expiration date.
+	
Make	Make sure there are no tears or defects.
+	
Put on	Put on before starting oral sex and keep it on until finished.
Use	Use water-based silicone-based lubricant to prevent breakage.
Store	Store dental dams in a cool, dry place.

## Don'ts

Reuse	Reuse a dental dam
Stretch	Stretch a dental dam, this may cause it to tear
Use	Use nonoxynol-9 (spermicide), which can cause irritation
Use	Use oil-based products like baby oil, lotion, petroleum jelly, or cooking oil because they will cause the dental dam to break
Flush	Flush dental dams down the toilet as they may clog it.

# How to use a Dental Dam



## References:

- <u>https://www.cdc.gov/condomeffectiveness/Dental-</u> <u>dam-use.html</u>
- <u>https://www.cdc.gov/condomeffectiveness/interna</u> <u>l-condom-use.html</u>
- <u>https://www.cdc.gov/condomeffectiveness/externa</u> <u>l-condom-use.html</u>
- <u>https://www.cdc.gov/condomeffectiveness/docs/C</u> ondoms\_and\_STDS.pdf